

SUNUltra 5G[®]

MANUFACTURING OF ALL TYPES LED LIGHTS



INDOOR & OUTDOOR LED LIGHTS

www.sunultra5g.com



INTRODUCTION

SUNUltra 5G[®]

A brand which you can trust for its Good Quality, Products & Services.

We are a manufacturer of LED Lights.

SUNUltra 5G group is known in the industry for the largest manufacturers of
LED Lights.

We always believe in new innovation with new expansion.

We have a good experienced hands with us.

Loyalty is our motto to provide you excellent service:

If you switch with SUNUltra 5G you will experience your life style & living style and
changing dramatically.

Our Vision:

In a world where technology increasingly touches
every aspect of our daily lives.

We will be a leading solutions provider in the areas of electronics &
technology, aspiring to become the most admired company.

Thanks

फारम गजट्री - 2 Form RG- 2		Nepal Patent Office
भारत सरकार Government of India व्यापार चिह्न रजिस्ट्री Trade Marks Registry व्यापार चिह्न अधिकारिका, 1999 Trade Marks Act, 1999		
व्यापार चिह्न के पंजीकरण का प्रमाणपत्र, धारा 23 (2), नियम 56 (1) Certificate of Registration of Trade Mark, Section 23 (2), Rule 56 (1)		
व्यापार चिह्न संख्या / Trade Mark No. 5124287	Date: 09/09/2021	अ. संख्या J. No. 2024 No. 3004714
सूचक विषय बताइए कि किस प्रकार चिह्न में कि विशेषताएं शामिल करने का मतलब है, जो _____ के बारे में होता है। _____ नाम के पंजीकृत हो चुका है। Certified that Trade Mark, as a representation is annexed hereto, has been registered in the name(s) of:- RALI PANDYE; WARD NO. 65, NEAR SANTOSH MANDIR, BHIMAPURI, RAIPUR, CHHATTISGARH INDIA 483221, INDIVIDUAL, (Single Firm)		
In Class 11	Under No. 5124287	as of the date 09 September 2021 in respect of
Apparatus and installations for lighting, heating, cooling, steam generating, cooking, drying, ventilating, water supply and sanitary purposes		
		
मेरी निर्देश पर आज _____ के _____ महा के _____ के दिनांक पर मुझे जारी किया जा रहा है। Solely at my direction, this 22nd day of June, 2022		
		
मायरा मुरारी (सही) Trade Marks Registry MUMBAI		
(Signature) Registrar of Trademarks		
निवेदनकर्ता को सूचित है कि यह पंजीकृत चिह्न अन्य किसी व्यक्ति या संस्था द्वारा उपयोग किए जाने से निषेधित है और यदि कोई व्यक्ति ऐसा करेगा तो उसे नुकसान होगा। Registration after 10 years from the date of application and may then be renewed for a period of 10 years and also at the expiration of each period of 10 years. यदि आवेदनकर्ता 10 वर्षों के भीतर इसे नवीकरित नहीं करता है तो चिह्न की पंजीकृत अवधि समाप्त हो जाएगी। The trademark shall not be used beyond knowledge or for obtaining registration abroad.		
नोट :- इस आवेदन में वर्णित सभी विशेषताएं अलग-अलग हैं, जो वास्तविक दुनिया में एक ही ब्रांड के अंतर्गत आती हैं। यदि कोई व्यक्ति इन विशेषताओं को बिना अनुमति के इस आवेदन द्वारा उपयोग करता है, तो उसे नुकसान होगा। Note: Upon any change of ownership of the Trademark, or change in address, of the proprietor (date of business card/address for service) it is required to inform AT ONCE to be made to register the change.		



भारत सरकार
Government of India
सूक्ष्म, लघु एवं मध्यम उद्यम विभाग
Ministry of Micro, Small and Medium Enterprises



सूक्ष्म, लघु एवं मध्यम उद्यम
MSME (Small & Medium Enterprises)

UDYAM REGISTRATION CERTIFICATE

UDYAM REGISTRATION NUMBER

NAME OF ENTERPRISE

TYPE OF ENTERPRISE *

MAJOR ACTIVITY

SOCIAL CATEGORY OF ENTREPRENEUR

NAME OF UNIT(S)

UDYAM-CG-14-0001243

SHIVSHAKTI CREATIVE CORPORATION

MICRO * (Based on FY 2018-19)

MANUFACTURING

GENERAL

S.No.	Name of Unit(s)
1	Shivshakti Creative Corporation

OFFICIAL ADDRESS OF ENTERPRISE

Flat/Door/Block No. Timber Market

Village/Town Bhanpuri Block Rajpur

Road/Street/Lane Timber Market City Rajpur

State CHHATTISGARH District RAIPUR, Pin 493221

Mobile 9993124092 Email: shivshakticreativecorporation@gmail.com

DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE

20/01/2020

DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS

25/06/2020

S.No.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity
1	27 - Manufacture of electrical equipment	2740 - Manufacture of electric lighting equipment	27400 - Manufacture of electric lighting equipment	Manufacturing
2	27 - Manufacture of electrical equipment	2790 - Manufacture of other electrical equipment	27900 - Manufacture of other electrical equipment	Manufacturing

NATIONAL INDUSTRY CLASSIFICATION CODE(S)

DATE OF UDYAM REGISTRATION

17/09/2020

* In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued bye Mo/ MSME.

Disclaimer: This is computer generated statement, no signature required. Printed from <https://udyamregistration.gov.in> & Date of printing: 29/09/2022

CHHATTISGARH STATE POWER DISTRIBUTION COMPANY LTD.
(Government of Chhattisgarh Undertaking) (A Successor Company of CSEB)
CPCL-140/108CT/2303/SGC/01/1822
OFFICE OF THE EXECUTIVE DIRECTOR (RCR) CSPDCL, RAIPUR Email ID: ed.r@cspec.co.in
No. 10-01/Pur/2133 Raipur, Dtd. **17 SEP 2022**
To,
M/s Shivshakti Creative Corporation,
Dhanlaxmi Nagar Near Shantoshi Mandir,
Ward No. 05, Bhanpuri, Raipur.

Subj: - Registration of firm.

We are pleased to register your firm in Raipur City Region as local supplier.

1. CE/RCR/Registration No. 819
2. Date of Registration 06.09.2022
3. Due Date of Renewal every year 05.09.2023

The next due date of renewal is 05.09.2023, you are therefore requested to deposit Rs. 590/- (500+18% GST) - (Rs. Five Hundred Ninety only) (non-refundable) towards renewal fee every year before due date in the office of Senior Accounts, CSPDCL, Raipur and intimate to this office otherwise the Registration will be treated as cancelled without any further notice.


EXECUTIVE DIRECTOR (RCR)
CSPDCL, RAIPUR

Copy to: -
The Sr. Accounts Officer-I, CSPDCL, Raipur

CRP/PUR/Registration no 167

**कार्यालय अधीक्षण अभियंता, लोक निर्माण विभाग
(वि./या.) मंडल सिल्लपुर नवन परिसर, सिविल लाईन, रायपुर (छ.ग.)**

Email - pwdsecirc@gmail.com

ज्ञापक क्रमांक / कार्य/वि./वी. रायपुर, दिनांक / / 2023

विद्युत सामग्री अनुमोदन आवेदन

छाता/सावक के द्वारा/व्यक्ति भवने में विद्युत कार्य हेतु लोक निर्माण विभाग में प्रचलित विद्युत एप.ओ.आर. जो कि दिनांक 01.06.2020 से प्रभावी है, के आधार पर विशिष्ट दूरिच्छक के आधार पर **M/s. Shivshakti Creative Corporation, Timber Market, Behind Arora Weighbridge, Ward No.- 04, Bhanupuri, Raipur - 493221 (C.G.)** द्वारा उपर्युक्त विद्युत सामग्री किंग पर **"SUNULTRA SG"** कार्यालय चिह्न अंकित हो एले LED Lights and Fixtures, Lamps and Luminaries को सिल्लपुर नवन अनुमोदन विवरण तालिका के अनुसार एप. प्राप्त अनुमोदन किया जाता है। यह अनुमोदन गिनती की अंतिम समय होगा।

- अनुमोदित सामग्री की आवंटित आकार अथवा अन्य कोई शिक्कापत्र विष्ट होवे है अनुमोदन विवरण तालिका का पालन है।
- अनुमोद के साथ निश्चित परीक्षण प्रमाण प्रस्तुत करना आवश्यक है।
- यह अनुमोदन जारी होवे के दिनांक से 3 वर्ष तक या उपरोक्त की वही/अल्प, प्रमाण पत्रों की केता तक जो कि पहले हो तब समय होगा। इसके नवीनीकरण के लिये वैधता के एक मही के पूर्व आवेदन करना होगा।
- सामान्य-समय पर प्राईवेट/विष्ट/केलाग/झुंडी आदि जब भी परचलित होवे है। इस कारणांतर को उपलब्ध कराना होगा।
- बर्तन कारणांतर दायर यह अनुमोदन निरस्त करावे हेतु विभाग के पास अधिकांश सुरक्षित होना है।
- यह अनुमोदन बतलाये समय भूरी द्वारा जोत प्रत्येक विद्युत सामग्री को लोपित किया होगा होवे पर ही समय होगा। परीक्षण के उपरान्त प्रमाण पत्र की लिए इस कारणांतर को उपलब्ध कराई जावे। अनुमोदित प्रत्येक सामग्री पर आई.एफ.आई. चिह्न अंकित होना चाहिये।

सत्यम - उपर्युक्त अनुमोदन विवरण तालिका।

प्र.क्रमांक 1803 / कार्य/वि./वी. रायपुर, दिनांक 08/08/2023

अभिहित
शिवशक्ति क्रेटिव कॉर्पोरेशन, टिम्बर मार्केट, बैकअफ आरॉरा वीगब्रिज, वार्ड नं. 04, बहानपुरी, रायपुर - 493221 (सी.ग.)


कार्यालय अभियंता लो.नि.वि. (वि./या. संभग रायपुर/दुर्ग/जगदलपुर की ओर सत्यमार्थ एवं आर.ओ.आर.आर.सत्यम उपसंगमणी कार्यालय को सूचित है। उपरोक्त अनुमोदित विद्युत सामग्री में किंगी भी प्रत्येक के बुटि एप. याने पर इस कार्यालय को सूचित है।

सत्यम - उपर्युक्त अनुमोदन विवरण तालिका।


अभिहित
शिवशक्ति क्रेटिव कॉर्पोरेशन
लो.नि.वि. (वि./या.) मंडल
रायपुर छ.ग.



Code	Wattage (W)	Design	PCB Size (mm)
SUB09/B22	9 W	Led Bulb	40
SUB12/B22	12 W	Led Bulb	40
SUB09/B22	9 W	Led Inverter Bulb	40
SUB20/B22	20 W	Led Bulb High Watt	50
SUB30/B22	30 W	Led Bulb High Watt	50
SUB40/B22	40 W	Led Bulb High Watt	90
SUB50/B22	50 W	Led Bulb High Watt	90



Code	Wattage (W)	Design	PCB Size (mm)
SUT5F6K/3K 1FEET	5 W	1 FT. Tubelight	292.5x6
SUT5F6K/3K 2FEET	10 W	2 FT. Tubelight	585x6
SUT5F6K/3K 4FEET	20 W	4 FT. Tubelight	1170x6
SUT5F6K/3K 4FEET	36 W	4 FT. Tubelight	1170x6



	Wattage (W)	PCB Size (mm) Length X Width & PCB	Outer Size (mm)	Cut Out Size (mm)
SUM06SQ/RD6K/3K	06 W	RO-235X6 SQ-291X6	110X110	95X95
SUM12SQ/RD6K/3K	12 W	RO-376X6 SQ-465X6	150X150	138X138
SUM15SQ/RD6K/3K	15 W	RO-438X6 SQ-545X6	175X175	150X150
SUM18SQ/RD6K/3K	18 W	RO-490X6 SQ-610X6	190X190	175X175
SUM22SQ/RD6K/3K	22 W	RO-560X6 SQ-698X6	220X220	200X200
SUSP24SQ/6K/3K	24 W	RO-000X6 SQ-698X6	285x285	300x300
SUSP30SQ/6K/3K	30 W	SQ.263X8mmX4	300x300 (1x1)	285x285
SUSP36SQ/6K/3K	36 W	SQ.557X6mmX2	595X595 (2X2)	575X575
SUSP45SQ/6K/3K	45 W	SQ.557x6mmx2	595X595 (2X2)	575X575

LED SURFACE PANEL LIGHT (Square / Round Surface Type)




9

Code	Wattage (W)	PCB Size (mm) Length X Width & PCB	Outer Size (mm)	Heigh (mm)
SUM08SQ/RD6K/3K	08 W	RO-278X6 SQ-331X6	120X120	35 mm
SUM12SQ/RD6K/3K	12 W	RO-376X6 SQ-465X6	143X143	35 mm
SUM15SQ/RD6K/3K	15 W	RO-438X6 SQ-545X6	167X167	35 mm
SUM18SQ/RD6K/3K	18 W	RO-490X6 SQ-610X6	190X190	35 mm
SUM22SQ/RD6K/3K	22 W	RO-560X6 SQ-698X6	205x205	35 mm
SUM30SQ/RD6K/3K	30 W	263x8mmX4	300x300 (1x1)	50 mm
SUM40SQ/RD6K/3K	40 W	263x8mmX4	300x300 (1x1)	50 mm



LED DEEP JUNCTION & STRICKER LIGHT

(Round Deep Junction Light)




Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
SUDJ3RD6K/3K	03 W	DEEP Junction Fitting	80x80	55x55	40 mm
SUDJ7RD6K/3K R/G/AMBER	07 W	DEEP Junction Fitting	90x90	60x60	50 mm
SUDJ12RD6K/3K R/G/AMBER	12 W	DEEP Junction Fitting	100x100	80x80	80 mm
SUDJCB3RD6K/3K	03 W	DEEP Junction COB	68X68	58X58	35 mm
SUDJCB3 R/G/B/PINK/ AMBER	03 W	DEEP Junction COB	68X68	58X58	35 mm
SUDS3RD6K/3K PPT	03 W	LED Stricker	65x65	65x65	30 mm
SUDS3 R/G/B/PINK/ AMBER	03 W	LED Stricker	65x65	65x65	30 mm

LED COB SPOT LIGHT (Square / Round Movable Type)



Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
SUCBM3RD6K/3K	03 W	Round / Square	68x68	58x58	35 mm
SUCBM6RD6K/3K	06 W	Round / Square	88x88	70x70	40 mm
SUCBM9RD6K/3K	09 W	Round / Square	105x105	85x85	55 mm
SUCBM12RD6K/3K	12 W	Round / Square	105x105	85x85	55 mm
SUCBM15RD6K/3K	15 W	Round / Square	120x120	105x105	75 mm
SUCBM20RD6K/3K	20 W	Round COB	120x120	105x105	75 mm
SUCBM30RD6K/3K	30 W	Round COB	145x145	135x135	90 mm
SUCBM40RD6K/3K	40 W	Round COB	160x160	145x145	100 mm
SUCBM50RD6K/3K	50 W	Round COB	160x160	145x145	100 mm

LED DELTA COB SPOT LIGHT (Round Concealed Type)




Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
SUDCL7 6K/4K/3K	7 W	Round Deep COB	75X75	65X65	70 mm
SUDCL12 6K/4K/3K	12W	Round Deep COB	90X90	80X80	100 mm
SUDCL15 6K/4K/3K	15 W	Round Deep COB	90X90	80X80	100 mm
SUDCL20 6K/4K/3K	20 W	Round Deep COB	95X95	85X85	85 mm
SUDCL40 6K/4K/3K	40 W	Round Deep COB	110X110	100X100	100 mm
SUDCL50 6K/4K/3K	50 W	Round Deep COB	110X110	100X100	100 mm
SUDCLC7 6K/4K/3K	7 W	Round Deep COB	75X75	65X65	70 mm
SUDCLC15 6K/4K/3K	15 W	Round Deep COB	83X83	96X96	75 mm
SUDCLC20 6K/4K/3K	20 W	Round Deep COB	95X95	85X85	85 mm



Code	Wattage (W)	CCT (K)	Body Colour
SUTR106K/3K WH/BLK	10 W	3000/4000/6500	Black / White
SUTR206K/3K WH/BLK	20 W	3000/4000/6500	Black / White
SUTR306K/3K WH/BLK	30 W	3000/4000/6500	Black / White

LED CYLINDER CEILING & FOOT LAMP

(Surface Cylinder & Foot Light)



Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
SULCC10 6K/3K/4K	10	LED Cylinder Ceiling	75x150	-----	150 mm
SULCC20 6K/3K/4K	20	LED Cylinder Ceiling	100x150	-----	150 mm
SULCC30 6K/3K/4K	30	LED Cylinder Ceiling	100x200	-----	200 mm
SULFLO4 6K/3K/4K	4	LED Foot Light	95x70	95x70	45 mm
SULFLO8 6K/3K/4K	8	LED Foot Light	150x70	150x70	45 mm




Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
SUGS3 6K/3K	3	LED Spaike	50x25	50x25	50 mm
SUGS3 R/G/B/PINK	3	LED Spaike Colour	50x25	50x25	50 mm
SUGS6 6K/3K	6	LED Spaike	100x75	100x75	100 mm
SUGS6 R/G/B/PINK	6	LED Spaike Colour	100x75	100x75	100 mm
SUGS10 6K/3K	10	LED Spaike	100x75	100x75	100 mm
SUGS10 R/G/B/PINK	10	LED Spaike Colour	100x75	100x75	100 mm
SUGS15 6K/3K	15	LED Spaike	100x75	100x75	100 mm
SUGS15 R/G/B/PINK	15	LED Spaike Colour	100x75	100x75	100 mm
SUGS18 R/G/B/PINK	18	LED Spaike Colour	100x75	100x75	100 mm



Code	Wattage (W)	PCB Size	Driver Area Dimension (length X Width X Height)	Pipe Size
SUSLLN18 6K/3K	18	65X110	45X80X40	40 mm
SUSLLN24 6K/3K	24	65X110	280x108x45	40 mm
SUSLLN36 6K/3K	36	85x142	340x130x45	45 mm
SUSLLN45 6K/3K	45	112x160	395x165x45	45 mm
SUSLLN50 6K/3K	50	112x160	395x165x45	45 mm
SUSLLN72 6K/3K	72	148x192	480x192x70	65 mm
SUSLLN90 6K/3K	90	148x192	480x192x70	65 mm
SUSLLN100 6K/3K	100	148x192	480x192x70	65 mm
SUSLLN150 6K/3K	150	154x164	575x205x70	70 mm




Code	Wattage (W)	PCB Size	Driver Area Dimension (length X Width X Height)	Pipe Size
SUSLGLS18 6K/3K	18	70x135	300x90x50 mm	38 mm
SUSLGLS24 6K/3K	24	70x135	325x108x55 mm	45 mm
SUSLGLS36 6K/3K	36	82x157	340x125x65 mm	45 mm
SUSLGLS50 6K/3K	50	110x190	370x135x60 mm	45 mm
SUSLGLS70 6K/3K	70	120x184	380x145x65 mm	48 mm
SUSLGLS100 6K/3K	100	140x200	410x180x75 mm	48 mm
SUSLGLS125 6K/3K	125	160x220	410x180x75 mm	48 mm
SUSLGLS150 6K/3K	150	160x220	530x260x80 mm	48 mm
SUSLGLS200 6K/3K	200	213x270	210x120x55 mm	58 mm
SUSLGLS250 6K/3K	250	213x270	500x340x150 mm	58 mm
SUSLGLS300 6K/3K	300	250x390	500x340x150 mm	80 mm
SUSLGLS400 6K/3K	400	250x390	500x340x150 mm	80 mm



Code	Wattage (W)	Irom Battery	Beam Angle	Charging Time Lighting Time
SUSOLR30	30	Po4 3.2v 6Ah	120	6-8 Hrs / 10-12 Hrs
SUSOLR60	60	Po4 3.2v 12Ah	120	6-8 Hrs / 10-12 Hrs
SUSOLR90	90	Po4 3.2v 18Ah	120	6-8 Hrs / 10-12 Hrs
SUSOLR150	120	Po4 3.2v 24Ah	120	6-8 Hrs / 10-12 Hrs
SUSOLR180	180	Po4 3.2v 30Ah	120	6-8 Hrs / 10-12 Hrs

LED DOWN CHOCK FLOOD LIGHT

Aluminium Casting with Water Proof
(Heavy Duty) IP - 66



Code	Wattage (W)	PCB Size	Fixture Size (mm) (Length X Width X Height)	Driver Area Dimension (Length X Width X Height)
SUFLDC10 6K/3K/R/G/B/PINK/ AMBER	10	60X70	163X160X45	75X95X60
SUFLDC15 6K/3K/R/G/B/PINK/ AMBER	15	60X70	163X160X45	75X95X60
SUFLDC20 6K/3K/R/G/B/PINK/ AMBER	20	95X60	163X160X45	75X95X60
SUFLDC30 6K/3K/R/G/B/PINK/ AMBER	30	73X114	200X180X60	114X73X35
SUFLDC50 6K/3K/R/G/B/PINK/ AMBER	50	93X135	215X205X60	130X60X38
SUFLDC100 6K/3K/R/G/B/PINK/ AMBER	100	100X140	270X245X70	150X80X40
SUFLDC150 6K/3K/R/G/B/PINK/ AMBER	150	135X185	305X285X70	190X80X40
SUFLDC200 6K/3K/R/G/B/PINK/ AMBER	200	155X230	345X325X80	235X100X45
SUFLDC250 6K/3K/R/G/B/PINK/ AMBER	250	206X260	415X370X80	285X110X45
SUFLDC300 6K/3K/R/G/B/PINK/ AMBER	300	206X260	415X370X80	285X110X45
SUFLDC350 6K/3K/R/G/B/PINK/ AMBER	350	250X390	500X340X80	225X150X58
SUFLDC400 6K/3K/R/G/B/PINK/ AMBER	400	250X390	500X340X80	225X150X58

LED DOWN CHOCK LENS FLOOD LIGHT


Aluminium Casting with Water Proof
(Heavy Duty) IP - 66



Code	Wattage (W)	PCB Size	Fixture Size (mm) (Length X Width X Height)	Driver Area Dimension (Length X Width X Height)
SUFLDC30 6K/3K/R/G/B/PINK/ AMBER	30	160X160	200X180X50	120X60X35
SUFLDC50 6K/3K/R/G/B/PINK/ AMBER	50	190X85	230X175x50	130X60X38
SUFLDC70 6K/3K/R/G/B/PINK/ AMBER	70	190X85	230X175x50	130X60X38
SUFLDC100 6K/3K/R/G/B/PINK/ AMBER	100	250X125	290X230x50	150X80X40
SUFLDC150 6K/3K/R/G/B/PINK/ AMBER	150	285X135	320X290x60	190X80X40
SUFLDC200 6K/3K/R/G/B/PINK/ AMBER	200	340X165	380X300x65	235X100X45
SUFLDC250 6K/3K/R/G/B/PINK/ AMBER	250	340X165	380X300x65	235X100X45
SUFLDC300 6K/3K/R/G/B/PINK/ AMBER	300	340X165	380X300x65	235X100X45

LED BACK CHOCK FLOOD LIGHT

Aluminium Casting with Water Proof
(Heavy Duty) IP - 66




Code	Wattage (W)	PCB Size	Fixture Size (mm) (Length X Width X Height)	Driver Area Dimension (Length X Width X Height)
SUFLDC10 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	10	60X70	130X100X35	75X45X30
SUFLDC15 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	15	60X70	130X100X35	75X45X30
SUFLDC20 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	20	60X70	130X100X35	75X45X30
SUFLDC30 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	30	96X135	210X150X60	110X70X40
SUFLDC50 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	50	140X100	245X180X65	150X90X45
SUFLDC100 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	100	135X185	295X240X70	150X90X45
SUFLDC200 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	200	206X260	390X300X80	220X110X45
SUFLDC300 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	300	250X390	500X340X80	225X150X58
SUFLDC350 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	350	250X390	500X340X80	225X150X58
SUFLDC400 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	400	250X390	500X340X80	225X150X58
SUFLDC500 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	500	250X390	500X340X80	225X150X58
SUFLDC600 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	600	250X390	500X340X80	225X150X58
SUFLDC800 6K/3K/R/G/B/PINK/ AMBER BACK CHOWK	800	300X450	600X400X100	250X200X100



Code	Wattage (W)	PCB Size	Fixture Size (mm) (Length X Width X Height)	Driver Area Dimension (Length X Width X Height)
SUBW50 6K/3K	50	133X133	185X50	110X70X40
SUBW100 6K/3K	100	175X175	230X60	150X90X45
SUBW120 6K/3K	120	175X175	230X60	150X90X45
SUBW150 6K/3K	150	250X250	320X70	220X110X45
SUBW160 6K/3K	160	250X250	320X70	220X110X45
SUBW200 6K/3K	200	250X250	320X70	220X110X45
SUBW250 6K/3K	250	250X250	370X85	250X150X58
SUBW300 6K/3K	300	250X250	370X85	250X150X58
SUBW350 6K/3K	350	250X250	370X85	250X150X58
SUBW400 6K/3K	400	250X250	370X85	250X150X58

LED WELL GLASS & CANOPY LIGHT

Industrial & Petrol Pump Light Type



Code	Wattage (W)	PCB Size	Fixture Size (mm) (Length X Width X Height)	Driver Area Dimension (Length X Width X Height)
SUWG40 6K/3K	40	133X133	185X50	110X70X40
SUWG50 6K/3K	50	133X133	185X50	110X70X40
SUWG70 6K/3K	70	175X175	230X60	150X90X45
SULCL80 6K/3K	80	167X120	380X380X70	-----
SULCL90 6K/3K	90	167X120	380X380X70	-----
SULCL100 6K/3K	100	167X120	380X380X70	-----



Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
SUOD3x1WY 6K/3K	3	LED Outdoor Light	50x25	50x25	50 mm
	3	LED Outdoor Light	50x25	50x25	50 mm
SUOD6x2WY 6K/3K	6	LED Outdoor Light	100x75	100x75	100 mm
	6	LED Outdoor Light	100x75	100x75	100 mm
SUOD12x4WY 6K/3K	10	LED Outdoor Light	100x75	100x75	100 mm
	10	LED Outdoor Light	100x75	100x75	100 mm
SUOD18x6WY 6K/3K	15	LED Outdoor Light	100x75	100x75	100 mm
	15	LED Outdoor Light	100x75	100x75	100 mm



Specifcation	Model No.	Output Current (AMP)	Power (Watt)	Input Voltage (V)	Size (MM)
SMPS 12V/2A	SI5036	12V	24W	167-264V	90X40X22MM
SMPS 12V/3A	SI5036	12V	36W	167-264V	100X40X22XMM
SMPS 12V/5A	SI5060	12V	60W	167-264V	113X50X22MM
SMPS 12V/8.30A	SI5100	12V	100W	167-264V	138X50X22MM
SMPS 12V/16.5A	SI5200	12V	200W	167-264V	178X50X22MM
SMPS 12V/25A	SI5300	12V	300W	167-264V	205X50X22M
SMPS 24V/2.5A	SI5060	24V	60W	167-264V	113X50X22MM
SMPS 24V/4.25A	SI5100	24V	100W	167-264V	138X50X22MM
SMPS 24V/8.35A	SI5200	24V	200W	167-264V	178X50X22MM
SMPS 24V/12.5A	SI5301	24V	300W	167-264V	205X50X22M
Code	Wattage (W)	Colour	PCB Dimensions (mm)	Height X Lenght X Width (mm)	
SUBH10	10	White / Black	133X52	50X175X95	
SUBH10	10	White / Black	133X52	65X175X95	



Code	Wattage (W)	Voltage	M. AMP
SUDR20	20	60-70V	300
SUDR24	24	36V	600
SUDR36	36	36-42V	900
SUDR50	50	55-80V	750
SUDR50	50	36-40V	1500

**All Type LED DRIVER, SMPS and
Dusk & Down Sensor Available**

SUNUltra 5G[®]

MANUFACTURING OF ALL TYPES OF LED LIGHTS, WIRE & CABLES

COMING SOON

SUBMERSIBLE CABLE



ROUND CABLE



PVC/XLPE ARMoured CABLES



PVC / SINGLE CORE / MULTI CORE



PTFE CABLES



SERVICE CABLE

Director



SUNUltra 5G®

SUNUltra 5G®

Accounts



SUNUltra 5G®

Work Shop

अनुमति बिना
प्रवेश निषेध







SUNUltra 5G[®]

MANUFACTURING OF ALL TYPES LED LIGHTS



Shivshakti
Creative Corporation
Raipur, Chhattisgarh
www.sunultra5g.com